


LIGHTECTURE



ALUMAX

Faretto ad alogenuri metallici R111 / metal halide lamp R111

watt
35w
socket
GX8.5
ilcos
MRS/UB-35/42/1A-H-GX8.5-111/95/24






model codes
SP ALUM 70 HCl
SP ALUM 50 HCl
SP ALUM 25 HCl
PL ALUM 50 HCl
PL ALUM 30 HCl

BELL

Alogenuri metallici / metal halide lamp

watt
70w
socket
G12
ilcos
MT/UB-70/42/1A-H-G12_19-100





model codes
SP BEL 180 HCl
SP BEL 118 HCl

BELL

Alogenuri metallici / metal halide lamp

watt
35w
socket
G12
ilcos
MT/UB-35/42/1A-H-G12_19-100




model codes
SP BELL 90 HCl

BELL

Faretto alogeno 111 / halogen spot light 111

watt
50w
socket
G53
ilcos
HMGS/UB-50-12-G53-111/4
HMGS/UB-50-12-G53-111/8
HMGS/UB-50-12-G53-111/24




model codes
SP BEL 180 12V (5 faretti/spots)
SP BEL 118 12V (3 faretti/spots)
SP BELL 90 12V (3 faretti/spots)
SP BELL 60 12V (1 faretto/spot)
SP BELL 45 12V (1 faretto/spot)
PL BELL 50 12V (1 faretto/spot)
PL BELL 30 12V (1 faretto/spot)

BELL

Faretto ad alogenuri metallici R111 / metal halide lamp R111

watt
35w
socket
GX8.5
ilcos
MRS/UB-35/30/1B-H-GX8.5-111/95/10
MRS/UB-35/30/1B-H-GX8.5-111/95/24
MRS/UB-35/30/1B-H-GX8.5-111/95/40




model codes
SP BELL 60 HCl
SP BELL 45 HCl

BELL

Faretto ad alogenuri metallici R111 / metal halide lamp R111

watt
35w
socket
GX8.5
ilcos
MRS/UB-35/42/1A-H-GX8.5-111/95/24



model codes
SP BELL 60 HCl
SP BELL 45 HCl

BELL**Fluorescenza / fluorescent lamp****watt**

4x42w + 1x57w


socket

GX24q-4 + GX24q-5

ilcos

FSMH-42/30/18-GX24q=4

+ FSMH-57/30/1B-GX24q=50



4x42w + 1x57w

model code:

SP BEL 180 FLE BC

SKIN**Fluorescenza / fluorescent lamp****watt**


6x42w

socket

GX24q-4

ilcos

FSMH-42/30/18-GX24q=4



6x42w

model code

SP SKI 100 FLE BC

SKIRT**Alogenuri metallici / metal halide lamp****watt**


70w

socket


G12

ilcos


MT/UB-70/42/1A-H-G12_19-100



70w 18°



70w 37°



70w 63°

model code

SP SKR 100 HCI